



DOCUMENT INFORMATION

Sheet 1 of 1

Please provide the following information when submitting a document to PDC.

Correspondence (CCN) No: 052735	Rev: N/A		
Document No:	Rev:		
Project Information (Check Applicable Box)			
☐ Balance of Facilities			
☐ Pretreatment			
☐ HLW Vitrification			
☐ LAW Vitrification			
☐ Analytical			
External Interfaces			
Across all areas			
Document is applicable to ALARA? Yes No			
Applicability to ALARA means that the item has the potential to affect doses, contamination levels, or release 24590-WTP-GPP-SRAD-002, <i>Application of ALARA in the Design Process</i> , sections 4.1 and 4.2 for more inf			
Additional Information for Correspondence	, , , , ,		
Subject Code(s) 4152			
Action Item Information. (This section does not apply to Meeting Minutes.)			
No Action Item within the correspondence			
Action(s) (Give a brief description of actions in the following space [optional])			
Due Date (If no due date is indicated, a 2-week period will b	e assigned.)		
Action Owed to			
Actionee(s)			
This correspondence closes action on Correspondence Number			
Subcontract Files Copies			
PAAA Coordinator MSII-B			
Contains SENSITIVE Information			
Additional Departmental Info. (to facilitate keyword search)			
OSR ☑ DNFSB ☐ WDOE ☐			
WDOH			
OTHER			
11/6,			



Concurrence Sheet

Page 1 of 1

CCN: 052735				
	Require	ed Reviewers		
Title	Name	Concurrence required (Check appropriately)	Initials	Date
Project Director	R. F. Naventi			
Project Manager	J. P. Betts		115	3/26/03
Operations Manager	S. F. Piccolo		7'	
Engineering Manager	R. J. Tosetti			
Construction Manager	T. L. Horst			
Business Manager	C. E. Rogers			
Environmental & Nuclear Safety	F. Beranek		WILLEB	3/25/03
Contracts Manager	A. R. Veirup		- 1	3/24/13
Project QA Manager	G. T. Shell			
HLW Area Project Manager	P. W. Schuetz			
LAW Area Project Manager	W. Clements			
Pretreatment Area Project Manager	R. E. Lawrence			
BOF Area Project Manager	J. Q. Hicks			
Lab Area Project Manager	P. J. Keuhlen			
Process Technology	K. J. Rueter			
Research and Technology	G. T. Wright			
Commissioning	M. N. Brosee			
Interface Management Manager	T. M. Brown			
BNI Legal	D. M. Curtis			
		nal Reviewers		
Title	Name		Initials	Date
Radiological, Nuclear & Process Safety Manager	D. A. Klein		Na see ab	gre an
PA 10 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		, danid different		
W. R. Spezialetti	_ Blil	for W. Sperial	tti'	3/24/03
Print/Type Applicable Line Manager's Na	me	2 Signature		Date
B. T. Allen	Britis!			3/24/03
Print/Type Originator's Name		Signature		Date



U.S. Department of Energy Office of River Protection Mr. R. J. Schepens Manager P.O. Box 450, MSIN H6-60 Richland, Washington 99352 CCN: 052735

APR 0 1 2003

Dear Mr. Schepens:

CONTRACT NO. DE-AC27-01RV14136 – CANCELLATION OF AUTHORIZATION BASIS DOCUMENTS

Reference: CCN 053540, Letter, R. J. Schepens, ORP, to R. F. Naventi, BNI, "Removal of Documents From the Authorization Basis (AB)," 03-OSR-0086, dated March 11, 2003.

This letter notifies the U.S. Department of Energy (DOE) that the following documents have been cancelled:

- 24590-WTP-ISAR-ESH-01-001-01, Initial Safety Analysis Report, Volume 1
- 24590-WTP-ISAR-ESH-01-001-02, Initial Safety Analysis Report, Volume 2
- BNFL-5193-HAR-01, Hazard Analysis Report
- 24590-WTP-PSAR-ESH-01-001-03, Preliminary Safety Analysis Report to Support Partial Construction Authorization; LAW Facility Specific Information
- 24590-WTP-PSAR-ESH-01-001-04, Preliminary Safety Analysis Report to Support Partial Construction Authorization; HLW Facility Specific Information

These documents were cancelled following DOE approval to remove them from the Authorization Basis in the referenced letter. Copies of the cancellation revisions are attached for your use (Attachments 1 through 5).

Should you have any questions or comments, please contact Mr. Bill Spezialetti at 371-3074.

Very truly yours,

R. F. Naventi Project Director

TA/slr

- Attachments: 1. 24590-WTP-ISAR-ESH-01-001-01, Revision 1, Initial Safety Analysis Report, Volume 1
 - 2. 24590-WTP-ISAR-ESH-01-001-02, Revision 2, Initial Safety Analysis Report, Volume 2
 - 3. BNFL-5193-HAR-01, Revision 4, Hazard Analysis Report
 - 4. 24590-WTP-PSAR-ESH-01-001-03, Revision 1, Preliminary Safety Analysis Report to Support Partial Construction Authorization; LAW Facility Specific Information
 - 5. 24590-WTP-PSAR-ESH-01-001-04, Revision 1, Preliminary Safety Analysis Report to Support Partial Construction Authorization; HLW Facility Specific Information

cc:

CC:		
Allen, B. T. w/a	WTP	MS4-B1
Barr, R. C. (1 hard copy and 1 electronic copy)	OSR	H6-60
Barrett, M. K. w/o	ORP	H6-60
Beranek, F. w/o	WTP	MS4-A1
DOE Correspondence Control w/a	ORP	H6-60
Ensign, K. R. w/o	ORP	H6-60
Erickson, L. w/o	ORP	H6-60
Hamel, W. F. w/o	ORP	H6-60
Hanson, A. J. w/o	ORP	H6-60
Klein, D. A. w/o	WTP	MS4-A1
PDC w/a	WTP	MS11-B
Spezialetti, W. R. w/o	WTP	MS4-B1
Taylor, W. J. w/a	ORP	H6-60
Tosetti, R. J. w/o	WTP	MS4-A2
Veirup, A. R. w/o	WTP	MS14-3B

24590-WTP-ISAR-ESH-01-001-01, Revision 1, Initial Safety Analysis Report, Volume 1



Document title:

Initial Safety Analysis Report

Volume I

Contract number:

DE-AC27-01RV14136

Department:

Environmental & Nuclear Safety

Author(s):

John Duke

Principal author signature:

Document number:

24590-WTP-ISAR-ESH-01-001-01, Rev 1

Checked by:

B. T. Allen

Checker signature:

Date of issue:

26 March 2003

Issue status:

Cancelled

Approved by:

Fred Beranek

Approver's position:

E&NS Manager

Approver signature:

River Protection Project Waste Treatment Plant 2435 Stevens Center Place Richland, WA 99352 United States of America Tel: 509 371 2000

Rev	Date	Reason for revision	Revised by
0	21 Sep 2001	Supersedes BNFL-5193-ISAR-01 Rev 3. Incorporates 24590-WTP-ABCN-ESH-01-017 Rev) changes (contractor approved ABCN)	J Duke
1	26 March 2003	Cancelled; removed from the Authorization Basis by DOE in 03-OSR-0086, March 11, 2003 (CCN 053540)	J Duke

24590-WTP-ISAR-ESH-01-001-02, Revision 2, Initial Safety Analysis Report, Volume 2



Document title:

Initial Safety Analysis Report

Volume II

Contract number:

DE-AC27-01RV14136

Department:

Environmental and Nuclear Safety

Author(s):

John Duke

Principal author signature:

Document number:

24590-WTP-ISAR-ESH-01-001-02, Rev 2

Checked by:

B. T. Allen

Checker signature:

Date of issue:

26 March 2003

Issue status:

Cancelled

Approved by:

Fred Beranek

Approver's position:

E&NS Manager

Approver signature:

River Protection Project Waste Treatment Plant 2435 Stevens Center Place Richland, WA 99352 United States of America Tel: 509 371 2000

Rev	Date	Reason for revision	Revised by
0	21 Sep 2001	Supersedes Appendix A of BNFL-5193-ISAR-01 Rev 3. Incorporates 24590-WTP-ABCN-ESH-01-017 Rev 0 changes (contractor-approved ABCN)	J Duke
1	14 Jan 2002	Incorporates 24590-WTP-ABCN-ESH-01-016 Rev 0 changes as approved per DOE Letter 01-OSR-0496 (CCN 026610)	J Duke
1a	6 Sep 2002	Incorporates 24590-WTP-ABCN-ESH-02-012 Rev 0 changes as approved per DOE Letter 02-OSR-0382 (CCN 040106)	J Duke
2	26 March 2003	Cancelled; removed from the Authorization Basis by DOE in 03-OSR-0086, March 11, 2003 (CCN 053540)	J Duke

BNFL-5193-HAR-01, Revision 4, Hazard Analysis Report



Document title:

Hazard Analysis Report

Contract number:

DE-AC27-01RV14136

Department:

Environmental & Nuclear Safety

Author(s):

Lee Dougherty

be F. Doughest

Principal author

signature:

BNFL-5193-HAR-01, Rev 4

Checked by:

B. T. Allen

Checker signature:

Document number:

Date of issue:

26 March 2003

Issue status:

Cancelled

Approved by:

Fred Beranek

Approver's position:

E&NS Manager

T.M

Approver signature:

River Protection Project Waste Treatment Plant 2435 Stevens Center Place Richland, WA 99352 United States of America Tel: 509 371 2000

Rev	Date	Reason for revision	Revised by
0-1	-	Issued under previous contract	•
1A	1 Feb 2001	Revised to reflect contractor change from CHG to BNI	L Dougherty
		Ref: ABCN-W375-01-00053	
2	20 Apr 2001	Issued approved document following approval by OSR of ABCN-W375-00-00053 changes.	L Dougherty
		Ref: CCN 019202 (DOE Ref 01-OSR-0100)	
3	21 Sep 2001	Removed disclaimer statement from cover page and proprietary markings from all pages of document.	L Dougherty
3a	15 Jan 2002	Incorporates 24590-WTP-ABCN-ESH-01-016 Rev 0 changes as approved per DOE Letter 01-OSR-0496 (CCN 026610).	L Dougherty
4	26 Mar 2003	Cancelled; removed from the Authorization Basis by DOE in 03-OSR-0086, March 11, 2003 (CCN 053540)	L. Dougherty

24590-WTP-PSAR-ESH-01-001-03, Revision 1, Preliminary Safety Analysis Report to Support Partial Construction Authorization; LAW Facility Specific Information



XXX 3/24/03



Document title:

Preliminary Safety Analysis

Report to Support Partial

Construction; LAW Facility

Specific Information

Contract number:

DE-AC27-01RV14136

Department:

Environmental & Nuclear Safety

Author(s):

Dwight Krahn

John L. Benson

Principal author

signature:

Dwight Krahm

Document number:

24590-WTP-PSAR-ESH-01-001-03, Rev 1

Checked by:

B. T. Allen

Checker signature:

Date of issue:

26 March 2003

Issue status:

Cancelled

Approved by:

Fred Beranek

Approver's position:

E&NS Manager

Approver signature:

JM

River Protection Project Waste Treatment Plant 2435 Stevens Center Place Richland, WA 99352 United States of America Tel: 509 371 2000

Ploca Batry Copied Second Plod

Rev	Date	Reason for revision	Revised by
Α	14 September 2001	Draft for Cross Discipline and Internal Review	L Dougherty
В	4 October 2001	Preliminary for Review	L Dougherty
C	15 October 2001	Preliminary for PSC Review	L Dougherty
D	9 November 2001	Issued For DOE Review and Approval	L Dougherty
E	29 November 2001	Preliminary for PSC Review	L Dougherty
F	10 December 2001	For DOE Review and Approval	L. Dougherty
0	23 July 2002	Approved per OSR Safety Evaluation Report (ORP/OSR-2002-18, Rev 0, transmitted by CCN 036084, 27 June 2002)	D. E. Krahn
1	26 March 2003	Cancelled; removed from the Authorization Basis by DOE in 03-OSR-0086, March 11, 2003 (CCN 053540)	D. E. Krahn

24590-WTP-PSAR-ESH-01-001-04, Revision 1, Preliminary Safety Analysis Report to Support Partial Construction Authorization; HLW Facility Specific Information







Document title: Preliminary Safety Analysis

Report to Support Partial

Construction; HLW Facility

Specific Information

Contract number:

DE-AC27-01RV14136

Department:

Environmental and Nuclear Safety

Author(s):

Donovan Foss

Principal author signature:

Document number:

24590-WTP-PSAR-ESH-01-001-04, Rev 1

Checked by:

B. T. Allen

Checker signature:

Date of issue:

26 March 2003

Issue status:

Cancelled

Approved by:

Fred Beranek

Approver's position:

E&NS Manager

Approver signature:

River Protection Project Waste Treatment Plant 2435 Stevens Center Place Richland, WA 99352 United States of America Tel: 509 371 2000

Slaudos Copied Seed Paul

Rev	Date	Reason for revision	Revised by
Α	14 Sept 2001	Draft for Cross Discipline and Independent Review	L. Dougherty
В	1 Nov 2001	Preliminary for Cross Discipline and Independent Review	L. Dougherty
С	19 Nov 2001	Preliminary for PSC Review	L. Dougherty
D	10 Dec 2001	For DOE Review and Approval	J. Lavender
0	23 Jul 2002	Approved per OSR Safety Evaluation Report (ORP/OSR-2002-18, Rev 0, transmitted by CCN 036084, 27 Jun 2002)	J. Lavender
I	26 March 2003	Cancelled; removed from the Authorization Basis by DOE in 03-OSR-0086, March 11, 2003 (CCN 053540)	J. Lavender